Displacement
Dynamic Stiffnesses of Surface Foundations: An Explicit Solution. — Iftekhar Anam and José M. Roësset; 4(3), 216-23 (2004).
Three-Dimensional Nonlinearly Varying Rectangular Loads on a Transversely Isotropic Half-Space. — Cheng-Der Wang; 4(4), 240-53 (2004).

Earth pressure
Application of Kinematically Admissible Solutions to Passive Earth Pressure Problems. — Jan Maciejewski and Andrzej Jarzębowski; 4(2), 127-36 (2004).

Earthquakes
Effect of Nonlinear Soil Behavior on Inelastic Seismic Response of a Structure. — Yong-Seok Kim and Jose M. Roesset; 4(2), 104-14 (2004).

Effective stress
Effective Stress in Unsaturated Soils: Review with New Evidence. — N. Khalili, F. Geiser, and G. E. Blight; 4(2), 115-26 (2004).

Elasticity
Modeling Nonlinear Anisotropic Elastic Properties of Unbound Granular Bases Using Microstructure Distribution Tensors. — Eyad Masad, Dallas Little, and Robert Lytton; 4(4), 254-63 (2004).
Elastic Solution for Tunneling-Induced Ground Movements in Clays. — K. H. Park; 4(4), 310-8 (2004).
Correlation of Elastic Constants with Penetration Resistance in Sandy Soils. — Bernd Weiher and Rob Davis; 4(4), 319-29 (2004).

Elastoplasticity
Wellbore Stability Analysis: From Linear Elasticity to Postbifurcation Modeling. — Panos Papanastasiou and Antonios Zervos; 4(1), 2-12 (2004).

Erosion
Finite-Element Approach to the Erosion and Transport of Fine Particles in Granular Soils. — Annamaria Cividini and Giancarlo Gioda; 4(3), 191-8 (2004).

Expert systems
Simple Expert System for Evaluation of Nutrient Pollution Potential in Groundwater from Manure Application. — Abu Noman M. Ahsanuzzaman, Musharraf Zaman, and Randall Kolar; 4(4), 285-95 (2004).

Failures
Stability Factors for Slopes with Nonassociated Flow Rule Using Energy Consideration. — Jyant Kumar; 4(4), 264-72 (2004).

Field tests
Lateral Resistance of Short Single Piles and Pile Groups Located Near Slopes. — K. S. Chae, K. Ugai, and A. Wakai; 4(2), 93-103 (2004).

Fine-grained soils
Finite-Element Approach to the Erosion and Transport of Fine Particles in Granular Soils. — Annamaria Cividini and Giancarlo Gioda; 4(3), 191-8 (2004).

Finite element method
Wellbore Stability Analysis: From Linear Elasticity to Postbifurcation Modeling. — Panos Papanastasiou and Antonios Zervos; 4(1), 2-12 (2004).
Multiple Fracture Propagation Model for a Three-Dimensional Hydraulic Fracturing Simulator. — Koji Yamamoto, Tatsuo Shimamoto, and Shunichi Sukemura; 4(1), 46-57 (2004).
Numerical Analysis of Rainfall Effects on Slope Stability. — Fei Cai and Keizo Ugai; 4(2), 69-78 (2004).
Radioactive Marker Measurements in Heterogeneous Reservoirs: Numerical Study. — Massimiliano Ferronato, Giuseppe Gambolati, Pietro Teatini, and Domenico Baù; 4(2), 79-92 (2004).
Finite-Element Approach to the Erosion and Transport of Fine Particles in Granular Soils. — Annamaria Cividini and Giancarlo Gioda; 4(3), 191-8 (2004).
Three-Dimensional Finite Element Analysis of Underground Caverns. — K. R. Dhawan, D. N. Singh, and I. D. Gupta; 4(3), 224-8 (2004).
Finite Element Modeling of the Time-Dependent Deformation of a Slope Bounding a Hydroelectric Reservoir. — Giancarlo Gioda and Giorgio Borgonovo; 4(4), 229-39 (2004).

Finite elements
Effect of Nonlinear Soil Behavior on Inelastic Seismic Response of a Structure. — Yong-Seok Kim and Jose M. Roesset; 4(2), 104-14 (2004).

Fluid flow
Mixture Theory for a Fluid-Saturated Isotropic Elastic Matrix. — L. W. Morland, R. Foulser, and S. K. Garg; 4(3), 207-15 (2004).

Foundation design
Numerical Study of the Bearing Behavior of Piled Rafts. — Oliver Reul; 4(2), 59-68 (2004).

Foundations
Dynamic Stiffnesses of Surface Foundations: An Explicit Solution. — Iftekhar Anam and José M. Roësset; 4(3), 216-23 (2004).
Correlation of Elastic Constants with Penetration Resistance in Sandy Soils. — Bernd Weiher and Rob Davis; 4(4), 319-29 (2004).

Fractures
Discrete Element Modeling Applied to Laboratory Simulation of Near-Wellbore Mechanics. — B. K. Cook, M. Y. Lee, A. A. DiGiovanni, D. R. Bronowski, E. D. Perkins, and J. R. Williams; 4(1), 19-27 (2004).
Propagation Regimes of Fluid-Driven Fractures in Impermeable Rocks. — E. Detournay; 4(1), 35-45 (2004).
Multiple Fracture Propagation Model for a Three-Dimensional Hydraulic Fracturing Simulator. — Koji Yamamoto, Tatsuo Shimamoto, and Shunichi Sukemura; 4(1), 46-57 (2004).

Granular media
Modeling Nonlinear Anisotropic Elastic Properties of Unbound Granular Bases Using Microstructure Distribution Tensors. — Eyad Masad, Dallas Little, and Robert Lytton; 4(4), 254-63 (2004).

Ground motion
Elastic Solution for Tunneling-Induced Ground Movements in Clays. — K. H. Park; 4(4), 310-8 (2004).

Ground water
Simple Expert System for Evaluation of Nutrient Pollution Potential in Groundwater from Manure Application. — Abu Noman M. Ahsanuzzaman, Musharraf Zaman, and Randall Kolar; 4(4), 285-95 (2004).

Half space
Three-Dimensional Nonlinearly Varying Rectangular Loads on a Transversely Isotropic Half-Space. — Cheng-Der Wang; 4(4), 240-53 (2004).

Hydraulic models
Discrete Element Modeling Applied to Laboratory Simulation of Near-Wellbore Mechanics. — B. K. Cook, M. Y. Lee, A. A. DiGiovanni, D. R. Bronowski, E. D. Perkins, and J. R. Williams; 4(1), 19-27 (2004).
Multiple Fracture Propagation Model for a Three-Dimensional Hydraulic Fracturing Simulator. — Koji Yamamoto, Tatsuo Shimamoto, and Shunichi Sukemura; 4(1), 46-57 (2004).

Infiltration
Analytical Analysis of Rainfall Infiltration Mechanism in Unsaturated Soils. — Tony L. T. Zhan and Charles W. W. Ng; 4(4), 273-84 (2004).

Internal pressure
Propagation Regimes of Fluid-Driven Fractures in Impermeable Rocks. — E. Detournay; 4(1), 35-45 (2004).

Land application
Simple Expert System for Evaluation of Nutrient Pollution Potential in Groundwater from Manure Application. — Abu Noman M. Ahsanuzzaman, Musharraf Zaman, and Randall Kolar; 4(4), 285-95 (2004).

Lateral loads
Lateral Resistance of Short Single Piles and Pile Groups Located Near Slopes. — K. S. Chae, K. Ugai, and A. Wakai; 4(2), 93-103 (2004).

Limit analysis
Stability Factors for Slopes with Nonassociated Flow Rule Using Energy Consideration. — Jyant Kumar; 4(4), 264-72 (2004).

Limit states
Application of Kinematically Admissible Solutions to Passive Earth Pressure Problems. — Jan Maciejewski and Andrzej Jarzębowski; 4(2), 127-36 (2004).

Load factors
Three-Dimensional Nonlinearly Varying Rectangular Loads on a Transversely Isotropic Half-Space. — Cheng-Der Wang; 4(4), 240-53 (2004).

Matrix theory
Mixture Theory for a Fluid-Saturated Isotropic Elastic Matrix. — L. W. Morland, R. Foulser, and S. K. Garg; 4(3), 207-15 (2004).

Micromechanics
Modeling Nonlinear Anisotropic Elastic Properties of Unbound Granular Bases Using Microstructure Distribution Tensors. — Eyad Masad, Dallas Little, and Robert Lytton; 4(4), 254-63 (2004).

Microstructures
Modeling Nonlinear Anisotropic Elastic Properties of Unbound Granular Bases Using Microstructure Distribution Tensors. — Eyad Masad, Dallas Little, and Robert Lytton; 4(4), 254-63 (2004).

Mixtures
Mixture Theory for a Fluid-Saturated Isotropic Elastic Matrix. — L. W. Morland, R. Foulser, and S. K. Garg; 4(3), 207-15 (2004).

Model tests
Lateral Resistance of Short Single Piles and Pile Groups Located Near Slopes. — K. S. Chae, K. Ugai, and A. Wakai; 4(2), 93-103 (2004).

Model verification
Finite-Element Approach to the Erosion and Transport of Fine Particles in Granular Soils. — Annamaria Cividini and Giancarlo Gioda; 4(3), 191-8 (2004).

Models
Wellbore Stability Analysis: From Linear Elasticity to Postbifurcation Modeling. — Panos Papanastasiou and Antonios Zervos; 4(1), 2-12 (2004).
Performance of a Three-Dimensional Hvorslev–Modified Cam Clay Model for Overconsolidated Clay. — K. A. Mita, G. R. Dasari, and K. W. Lo; 4(4), 296-309 (2004).

Numerical analysis
Numerical Analysis of Rainfall Effects on Slope Stability. — Fei Cai and Keizo Ugai; 4(2), 69-78 (2004).

Nutrient
Simple Expert System for Evaluation of Nutrient Pollution Potential in Groundwater from Manure Application. — Abu Noman M. Ahsanuzzaman, Musharraf Zaman, and Randall Kolar; 4(4), 285-95 (2004).

Optimization
Numerical Study of the Bearing Behavior of Piled Rafts. — Oliver Reul; 4(2), 59-68 (2004).

Overconsolidated clays
Performance of a Three-Dimensional Hvorslev–Modified Cam Clay Model for Overconsolidated Clay. — K. A. Mita, G. R. Dasari, and K. W. Lo; 4(4), 296-309 (2004).

Penetration resistance
Correlation of Elastic Constants with Penetration Resistance in Sandy Soils. — Bernd Weiher and Rob Davis; 4(4), 319-29 (2004).

Petroleum
Multiple Fracture Propagation Model for a Three-Dimensional Hydraulic Fracturing Simulator. — Koji Yamamoto, Tatsuo Shimamoto, and Shunichi Sukemura; 4(1), 46-57 (2004).

Pile foundation
Effect of Nonlinear Soil Behavior on Inelastic Seismic Response of a Structure. — Yong-Seok Kim and Jose M. Roesset; 4(2), 104-14 (2004).

Pile groups
Lateral Resistance of Short Single Piles and Pile Groups Located Near Slopes. — K. S. Chae, K. Ugai, and A. Wakai; 4(2), 93-103 (2004).

Piles
Numerical Study of the Bearing Behavior of Piled Rafts. — Oliver Reul; 4(2), 59-68 (2004).

Plasticity
Wellbore Stability Analysis: From Linear Elasticity to Postbifurcation Modeling. — Panos Papanastasiou and Antonios Zervos; 4(1), 2-12 (2004).
Plasticity Model for Stress-Release Induced Damage. — E. Papamichos; 4(1), 13-8 (2004).
Stability Factors for Slopes with Nonassociated Flow Rule Using Energy Consideration. — Jyant Kumar; 4(4), 264-72 (2004).

Pore pressure
Analyses of Inclined Boreholes in Poroelastic Media. — S. Ekbote, Y. Abousleiman, L. Cui, and M. Zaman; 4(3), 178-90 (2004).

Pore water pressure
Analytical Analysis of Rainfall Infiltration Mechanism in Unsaturated Soils. — Tony L. T. Zhan and Charles W. W. Ng; 4(4), 273-84 (2004).

Poroelasticity
Analyses of Inclined Boreholes in Poroelastic Media. — S. Ekbote, Y. Abousleiman, L. Cui, and M. Zaman; 4(3), 178-90 (2004).

Pressures
Mixture Theory for a Fluid-Saturated Isotropic Elastic Matrix. — L. W. Morland, R. Foulser, and S. K. Garg; 4(3), 207-15 (2004).

Radioactive tracers
Radioactive Marker Measurements in Heterogeneous Reservoirs: Numerical Study. — Massimiliano Ferronato, Giuseppe Gambolati, Pietro Teatini, and Domenico Baù; 4(2), 79-92 (2004).

Raft foundations
Numerical Study of the Bearing Behavior of Piled Rafts. — Oliver Reul; 4(2), 59-68 (2004).

Rainfall
Numerical Analysis of Rainfall Effects on Slope Stability. — Fei Cai and Keizo Ugai; 4(2), 69-78 (2004).
Analytical Analysis of Rainfall Infiltration Mechanism in Unsaturated Soils. — Tony L. T. Zhan and Charles W. W. Ng; 4(4), 273-84 (2004).

Reservoir design
Multiple Fracture Propagation Model for a Three-Dimensional Hydraulic Fracturing Simulator. — Koji Yamamoto, Tatsuo Shimamoto, and Shunichi Sukemura; 4(1), 46-57 (2004).

Reservoirs
Modeling of Subsidence and Reservoir Compaction under Waterflood Operations. — L. Y. Chin and N. B. Nagel; 4(1), 28-34 (2004).
Radioactive Marker Measurements in Heterogeneous Reservoirs: Numerical Study. — Massimiliano Ferronato, Giuseppe Gambolati, Pietro Teatini, and Domenico Baù; 4(2), 79-92 (2004).
Mixture Theory for a Fluid-Saturated Isotropic Elastic Matrix. — L. W. Morland, R. Foulser, and S. K. Garg; 4(3), 207-15 (2004).
Finite Element Modeling of the Time-Dependent Deformation of a Slope Bounding a Hydroelectric Reservoir. — Giancarlo Gioda and Giorgio Borgonovo; 4(4), 229-39 (2004).

Rigidity
Dynamic Stiffnesses of Surface Foundations: An Explicit Solution. — Iftekhar Anam and José M. Roësset; 4(3), 216-23 (2004).

Rock properties
Plasticity Model for Stress-Release Induced Damage. — E. Papamichos; 4(1), 13-8 (2004).

Rocks
Plasticity Model for Stress-Release Induced Damage. — E. Papamichos; 4(1), 13-8 (2004).
Propagation Regimes of Fluid-Driven Fractures in Impermeable Rocks. — E. Detournay; 4(1), 35-45 (2004).

Sand
Evaluation of Time-Dependent Behavior of Soils. — Anders Augustesen, Morten Liingaard, and Poul V. Lade; 4(3), 137-56 (2004).
Characterization of Models for Time-Dependent Behavior of Soils. — Morten Liingaard, Anders Augustesen, and Poul V. Lade; 4(3), 157-77 (2004).
Correlation of Elastic Constants with Penetration Resistance in Sandy Soils. — Bernd Weiher and Rob Davis; 4(4), 319-29 (2004).

Scale effect
Wellbore Stability Analysis: From Linear Elasticity to Postbifurcation Modeling. — Panos Papanastasiou and Antonios Zervos; 4(1), 2-12 (2004).

Seepage
Numerical Analysis of Rainfall Effects on Slope Stability. — Fei Cai and Keizo Ugai; 4(2), 69-78 (2004).

Seismic response
Effect of Nonlinear Soil Behavior on Inelastic Seismic Response of a Structure. — Yong-Seok Kim and Jose M. Roesset; 4(2), 104-14 (2004).

Sensitivity analysis
Radioactive Marker Measurements in Heterogeneous Reservoirs: Numerical Study. — Massimiliano Ferronato, Giuseppe Gambolati, Pietro Teatini, and Domenico Baù; 4(2), 79-92 (2004).

Shear strength
Effective Stress in Unsaturated Soils: Review with New Evidence. — N. Khalili, F. Geiser, and G. E. Blight; 4(2), 115-26 (2004).

Simulation
Discrete Element Modeling Applied to Laboratory Simulation of Near-Wellbore Mechanics. — B. K. Cook, M. Y. Lee, A. A. DiGiovanni, D. R. Bronowski, E. D. Perkins, and J. R. Williams; 4(1), 19-27 (2004).

Slope stability
Numerical Analysis of Rainfall Effects on Slope Stability. — Fei Cai and Keizo Ugai; 4(2), 69-78 (2004).
Stability Factors for Slopes with Nonassociated Flow Rule Using Energy Consideration. — Jyant Kumar; 4(4), 264-72 (2004).

Slopes
Numerical Analysis of Rainfall Effects on Slope Stability. — Fei Cai and Keizo Ugai; 4(2), 69-78 (2004).
Lateral Resistance of Short Single Piles and Pile Groups Located Near Slopes. — K. S. Chae, K. Ugai, and A. Wakai; 4(2), 93-103 (2004).
Finite Element Modeling of the Time-Dependent Deformation of a Slope Bounding a Hydroelectric Reservoir. — Giancarlo Gioda and Giorgio Borgonovo; 4(4), 229-39 (2004).

Soft soils
Elastic Solution for Tunneling-Induced Ground Movements in Clays. — K. H. Park; 4(4), 310-8 (2004).

Soil deformation
Application of Kinematically Admissible Solutions to Passive Earth Pressure Problems. — Jan Maciejewski and Andrzej Jarzębowski; 4(2), 127-36 (2004).

Soil modulus
Correlation of Elastic Constants with Penetration Resistance in Sandy Soils. — Bernd Weiher and Rob Davis; 4(4), 319-29 (2004).

Soil properties
Evaluation of Time-Dependent Behavior of Soils. — Anders Augustesen, Morten Liingaard, and Poul V. Lade; 4(3), 137-56 (2004).
Characterization of Models for Time-Dependent Behavior of Soils. — Morten Liingaard, Anders Augustesen, and Poul V. Lade; 4(3), 157-77 (2004).

Soil-structure interaction
Effect of Nonlinear Soil Behavior on Inelastic Seismic Response of a Structure. — Yong-Seok Kim and Jose M. Roesset; 4(2), 104-14 (2004).

Application of Kinematically Admissible Solutions to Passive Earth Pressure Problems. — Jan Maciejewski and Andrzej Jarzębowski; 4(2), 127-36 (2004).

Soils

Effect of Nonlinear Soil Behavior on Inelastic Seismic Response of a Structure. — Yong-Seok Kim and Jose M. Roesset; 4(2), 104-14 (2004).

Stiffness

Dynamic Stiffnesses of Surface Foundations: An Explicit Solution. — Iftekhar Anam and José M. Roësset; 4(3), 216-23 (2004).

Strain softening

Finite Element Modeling of the Time-Dependent Deformation of a Slope Bounding a Hydroelectric Reservoir. — Giancarlo Gioda and Giorgio Borgonovo; 4(4), 229-39 (2004).

Stress

Three-Dimensional Finite Element Analysis of Underground Caverns. — K. R. Dhawan, D. N. Singh, and I. D. Gupta; 4(3), 224-8 (2004).

Three-Dimensional Nonlinearly Varying Rectangular Loads on a Transversely Isotropic Half-Space. — Cheng-Der Wang; 4(4), 240-53 (2004).

Stress-strain

Mixture Theory for a Fluid-Saturated Isotropic Elastic Matrix. — L. W. Morland, R. Foulser, and S. K. Garg; 4(3), 207-15 (2004).

Subsidence

Modeling of Subsidence and Reservoir Compaction under Waterflood Operations. — L. Y. Chin and N. B. Nagel; 4(1), 28-34 (2004).

Three-dimensional analysis

Numerical Study of the Bearing Behavior of Piled Rafts. — Oliver Reul; 4(2), 59-68 (2004).

Lateral Resistance of Short Single Piles and Pile Groups Located Near Slopes. — K. S. Chae, K. Ugai, and A. Wakai; 4(2), 93-103 (2004).

Three-Dimensional Finite Element Analysis of Underground Caverns. — K. R. Dhawan, D. N. Singh, and I. D. Gupta; 4(3), 224-8 (2004).

Three-Dimensional Nonlinearly Varying Rectangular Loads on a Transversely Isotropic Half-Space. — Cheng-Der Wang; 4(4), 240-53 (2004).

Three-dimensional models

Modeling of Subsidence and Reservoir Compaction under Waterflood Operations. — L. Y. Chin and N. B. Nagel; 4(1), 28-34 (2004).

Time dependence

Evaluation of Time-Dependent Behavior of Soils. — Anders Augustesen, Morten Liingaard, and Poul V. Lade; 4(3), 137-56 (2004).

Characterization of Models for Time-Dependent Behavior of Soils. — Morten Liingaard, Anders Augustesen, and Poul V. Lade; 4(3), 157-77 (2004).

Analyses of Inclined Boreholes in Poroelastic Media. — S. Ekbote, Y. Abousleiman, L. Cui, and M. Zaman; 4(3), 178-90 (2004).

Transport phenomena

Finite-Element Approach to the Erosion and Transport of Fine Particles in Granular Soils. — Annamaria Cividini and Giancarlo Gioda; 4(3), 191-8 (2004).

Triaxial tests

Performance of a Three-Dimensional Hvorslev–Modified Cam Clay Model for Overconsolidated Clay. — K. A. Mita, G. R. Dasari, and K. W. Lo; 4(4), 296-309 (2004).

Tunneling

Elastic Solution for Tunneling-Induced Ground Movements in Clays. — K. H. Park; 4(4), 310-8 (2004).

Unsaturated soils

Effective Stress in Unsaturated Soils: Review with New Evidence. — N. Khalili, F. Geiser, and G. E. Blight; 4(2), 115-26 (2004).

Analytical Analysis of Rainfall Infiltration Mechanism in Unsaturated Soils. — Tony L. T. Zhan and Charles W. W. Ng; 4(4), 273-84 (2004).

Void ratio

Mixed Experimental and Numerical Approach to Evaluation of Material Parameters of Clayey Soils. — Tomáš Janda, Pavel Kuklik, and Michal Šejnoha; 4(3), 199-206 (2004).

Volume change

Effective Stress in Unsaturated Soils: Review with New Evidence. — N. Khalili, F. Geiser, and G. E. Blight; 4(2), 115-26 (2004).

Water pollution

Simple Expert System for Evaluation of Nutrient Pollution Potential in Groundwater from Manure Application. — Abu Noman M. Ahsanuzzaman, Musharraf Zaman, and Randall Kolar; 4(4), 285-95 (2004).

Water pressures

Numerical Analysis of Rainfall Effects on Slope Stability. — Fei Cai and Keizo Ugai; 4(2), 69-78 (2004).

Well construction

Multiple Fracture Propagation Model for a Three-Dimensional Hydraulic Fracturing Simulator. — Koji Yamamoto, Tatsuo Shimamoto, and Shunichi Sukemura; 4(1), 46-57 (2004).

Author Index

Abousleiman, Y.
Analyses of Inclined Boreholes in Poroelastic Media. — S. Ekbote, Y. Abousleiman, L. Cui, and M. Zaman; 4(3), 178-90 (2004).

Ahsanuzzaman, Abu Noman M.
Simple Expert System for Evaluation of Nutrient Pollution Potential in Groundwater from Manure Application. — Abu Noman M. Ahsanuzzaman, Musharraf Zaman, and Randall Kolar; 4(4), 285-95 (2004).

Anam, Iftekhar
Dynamic Stiffnesses of Surface Foundations: An Explicit Solution. — Iftekhar Anam and José M. Roësset; 4(3), 216-23 (2004).

Augustesen, Anders
Evaluation of Time-Dependent Behavior of Soils. — Anders Augustesen, Morten Liingaard, and Poul V. Lade; 4(3), 137-56 (2004).
Characterization of Models for Time-Dependent Behavior of Soils. — Morten Liingaard, Anders Augustesen, and Poul V. Lade; 4(3), 157-77 (2004).

Baù, Domenico
Radioactive Marker Measurements in Heterogeneous Reservoirs: Numerical Study. — Massimiliano Ferronato, Giuseppe Gambolati, Pietro Teatini, and Domenico Baù; 4(2), 79-92 (2004).

Blight, G. E.
Effective Stress in Unsaturated Soils: Review with New Evidence. — N. Khalili, F. Geiser, and G. E. Blight; 4(2), 115-26 (2004).

Borgonovo, Giorgio
Finite Element Modeling of the Time-Dependent Deformation of a Slope Bounding a Hydroelectric Reservoir. — Giancarlo Gioda and Giorgio Borgonovo; 4(4), 229-39 (2004).

Bronowski, D. R.
Discrete Element Modeling Applied to Laboratory Simulation of Near-Wellbore Mechanics. — B. K. Cook, M. Y. Lee, A. A. DiGiovanni, D. R. Bronowski, E. D. Perkins, and J. R. Williams; 4(1), 19-27 (2004).

Cai, Fei
Numerical Analysis of Rainfall Effects on Slope Stability. — Fei Cai and Keizo Ugai; 4(2), 69-78 (2004).

Chae, K. S.
Lateral Resistance of Short Single Piles and Pile Groups Located Near Slopes. — K. S. Chae, K. Ugai, and A. Wakai; 4(2), 93-103 (2004).

Chin, L. Y.
Modeling of Subsidence and Reservoir Compaction under Waterflood Operations. — L. Y. Chin and N. B. Nagel; 4(1), 28-34 (2004).

Cividini, Annamaria
Finite-Element Approach to the Erosion and Transport of Fine Particles in Granular Soils. — Annamaria Cividini and Giancarlo Gioda; 4(3), 191-8 (2004).

Cook, B. K.
Discrete Element Modeling Applied to Laboratory Simulation of Near-Wellbore Mechanics. — B. K. Cook, M. Y. Lee, A. A. DiGiovanni, D. R. Bronowski, E. D. Perkins, and J. R. Williams; 4(1), 19-27 (2004).

Cui, L.
Analyses of Inclined Boreholes in Poroelastic Media. — S. Ekbote, Y. Abousleiman, L. Cui, and M. Zaman; 4(3), 178-90 (2004).

Dasari, G. R.
Performance of a Three-Dimensional Hvorslev–Modified Cam Clay Model for Overconsolidated Clay. — K. A. Mita, G. R. Dasari, and K. W. Lo; 4(4), 296-309 (2004).

Davis, Rob
Correlation of Elastic Constants with Penetration Resistance in Sandy Soils. — Bernd Weiher and Rob Davis; 4(4), 319-29 (2004).

Detournay, E.
Propagation Regimes of Fluid-Driven Fractures in Impermeable Rocks. — E. Detournay; 4(1), 35-45 (2004).

Dhawan, K. R.
Three-Dimensional Finite Element Analysis of Underground Caverns. — K. R. Dhawan, D. N. Singh, and I. D. Gupta; 4(3), 224-8 (2004).

DiGiovanni, A. A.
Discrete Element Modeling Applied to Laboratory Simulation of Near-Wellbore Mechanics. — B. K. Cook, M. Y. Lee, A. A. DiGiovanni, D. R. Bronowski, E. D. Perkins, and J. R. Williams; 4(1), 19-27 (2004).

Ekbote, S.
Analyses of Inclined Boreholes in Poroelastic Media. — S. Ekbote, Y. Abousleiman, L. Cui, and M. Zaman; 4(3), 178-90 (2004).

Ferronato, Massimiliano
Radioactive Marker Measurements in Heterogeneous Reservoirs: Numerical Study. — Massimiliano Ferronato, Giuseppe Gambolati, Pietro Teatini, and Domenico Baù; 4(2), 79-92 (2004).

Foulser, R.
Mixture Theory for a Fluid-Saturated Isotropic Elastic Matrix. — L. W. Morland, R. Foulser, and S. K. Garg; 4(3), 207-15 (2004).

Gambolati, Giuseppe
Radioactive Marker Measurements in Heterogeneous Reservoirs: Numerical Study. — Massimiliano Ferronato, Giuseppe Gambolati, Pietro Teatini, and Domenico Baù; 4(2), 79-92 (2004).

Garg, S. K.
Mixture Theory for a Fluid-Saturated Isotropic Elastic Matrix. — L. W. Morland, R. Foulser, and S. K. Garg; 4(3), 207-15 (2004).

Geiser, F.
Effective Stress in Unsaturated Soils: Review with New Evidence. — N. Khalili, F. Geiser, and G. E. Blight; 4(2), 115-26 (2004).

Gioda, Giancarlo
Finite-Element Approach to the Erosion and Transport of Fine Particles in Granular Soils. — Annamaria Cividini and Giancarlo Gioda; 4(3), 191-8 (2004).
Finite Element Modeling of the Time-Dependent Deformation of a Slope Bounding a Hydroelectric Reservoir. — Giancarlo Gioda and Giorgio Borgonovo; 4(4), 229-39 (2004).

Gupta, I. D.
Three-Dimensional Finite Element Analysis of Underground Caverns. — K. R. Dhawan, D. N. Singh, and I. D. Gupta; 4(3), 224-8 (2004).

Janda, Tomáš
Mixed Experimental and Numerical Approach to Evaluation of Material Parameters of Clayey Soils. — Tomáš Janda, Pavel Kuklik, and Michal Šejnoha; 4(3), 199-206 (2004).

Jarzębowski, Andrzej
Application of Kinematically Admissible Solutions to Passive Earth Pressure Problems. — Jan Maciejewski and Andrzej Jarzębowski; 4(2), 127-36 (2004).

Khalili, N.
Effective Stress in Unsaturated Soils: Review with New Evidence. — N. Khalili, F. Geiser, and G. E. Blight; 4(2), 115-26 (2004).

Kim, Yong-Seok
Effect of Nonlinear Soil Behavior on Inelastic Seismic Response of a Structure. — Yong-Seok Kim and Jose M. Roesset; 4(2), 104-14 (2004).

Kolar, Randall
Simple Expert System for Evaluation of Nutrient Pollution Potential in Groundwater from Manure Application. — Abu Noman M. Ahsanuzzaman, Musharraf Zaman, and Randall Kolar; 4(4), 285-95 (2004).

Kuklik, Pavel
Mixed Experimental and Numerical Approach to Evaluation of Material Parameters of Clayey Soils. — Tomáš Janda, Pavel Kuklik, and Michal Šejnoha; 4(3), 199-206 (2004).

Kumar, Jyant
Stability Factors for Slopes with Nonassociated Flow Rule Using Energy Consideration. — Jyant Kumar; 4(4), 264-72 (2004).

Lade, Poul V.
Evaluation of Time-Dependent Behavior of Soils. — Anders Augustesen, Morten Liingaard, and Poul V. Lade; 4(3), 137-56 (2004).
Characterization of Models for Time-Dependent Behavior of Soils. — Morten Liingaard, Anders Augustesen, and Poul V. Lade; 4(3), 157-77 (2004).

Lee, M. Y.
Discrete Element Modeling Applied to Laboratory Simulation of Near-Wellbore Mechanics. — B. K. Cook, M. Y. Lee, A. A. DiGiovanni, D. R. Bronowski, E. D. Perkins, and J. R. Williams; 4(1), 19-27 (2004).

Liingaard, Morten
Evaluation of Time-Dependent Behavior of Soils. — Anders Augustesen, Morten Liingaard, and Poul V. Lade; 4(3), 137-56 (2004).
Characterization of Models for Time-Dependent Behavior of Soils. — Morten Liingaard, Anders Augustesen, and Poul V. Lade; 4(3), 157-77 (2004).

Little, Dallas
Modeling Nonlinear Anisotropic Elastic Properties of Unbound Granular Bases Using Microstructure Distribution Tensors. — Eyad Masad, Dallas Little, and Robert Lytton; 4(4), 254-63 (2004).

Lo, K. W.
Performance of a Three-Dimensional Hvorslev–Modified Cam Clay Model for Overconsolidated Clay. — K. A. Mita, G. R. Dasari, and K. W. Lo; 4(4), 296-309 (2004).

Lytton, Robert
Modeling Nonlinear Anisotropic Elastic Properties of Unbound Granular Bases Using Microstructure Distribution Tensors. — Eyad Masad, Dallas Little, and Robert Lytton; 4(4), 254-63 (2004).

Maciejewski, Jan
Application of Kinematically Admissible Solutions to Passive Earth Pressure Problems. — Jan Maciejewski and Andrzej Jarzębowski; 4(2), 127-36 (2004).

Masad, Eyad
Modeling Nonlinear Anisotropic Elastic Properties of Unbound Granular Bases Using Microstructure Distribution Tensors. — Eyad Masad, Dallas Little, and Robert Lytton; 4(4), 254-63 (2004).

Mita, K. A.
Performance of a Three-Dimensional Hvorslev–Modified Cam Clay Model for Overconsolidated Clay. — K. A. Mita, G. R. Dasari, and K. W. Lo; 4(4), 296-309 (2004).

Morland, L. W.
Mixture Theory for a Fluid-Saturated Isotropic Elastic Matrix. — L. W. Morland, R. Foulser, and S. K. Garg; 4(3), 207-15 (2004).

Nagel, N. B.
Modeling of Subsidence and Reservoir Compaction under Waterflood Operations. — L. Y. Chin and N. B. Nagel; 4(1), 28-34 (2004).

Ng, Charles W. W.
Analytical Analysis of Rainfall Infiltration Mechanism in Unsaturated Soils. — Tony L. T. Zhan and Charles W. W. Ng; 4(4), 273-84 (2004).

Papamichos, E.
Plasticity Model for Stress-Release Induced Damage. — E. Papamichos; 4(1), 13-8 (2004).

Papanastasiou, Panos
Geomechanics in Petroleum Engineering. — Panos Papanastasiou; 4(1), 1 (2004).
Wellbore Stability Analysis: From Linear Elasticity to Postbifurcation Modeling. — Panos Papanastasiou and Antonios Zervos; 4(1), 2-12 (2004).

Park, K. H.
Elastic Solution for Tunneling-Induced Ground Movements in Clays. — K. H. Park; 4(4), 310-8 (2004).

Perkins, E. D.
Discrete Element Modeling Applied to Laboratory Simulation of Near-Wellbore Mechanics. — B. K. Cook, M. Y. Lee, A. A. DiGiovanni, D. R. Bronowski, E. D. Perkins, and J. R. Williams; 4(1), 19-27 (2004).

Reul, Oliver
Numerical Study of the Bearing Behavior of Piled Rafts. — Oliver Reul; 4(2), 59-68 (2004).

Roesset, Jose M.
Effect of Nonlinear Soil Behavior on Inelastic Seismic Response of a Structure. — Yong-Seok Kim and Jose M. Roesset; 4(2), 104-14 (2004).

Roësset, José M.
Dynamic Stiffnesses of Surface Foundations: An Explicit Solution. — Iftekhar Anam and José M. Roësset; 4(3), 216-23 (2004).

Šejnoha, Michal
Mixed Experimental and Numerical Approach to Evaluation of Material Parameters of Clayey Soils. — Tomáš Janda, Pavel Kuklik, and Michal Šejnoha; 4(3), 199-206 (2004).

Shimamoto, Tatsuo
Multiple Fracture Propagation Model for a Three-Dimensional Hydraulic Fracturing Simulator. — Koji Yamamoto, Tatsuo Shimamoto, and Shunichi Sukemura; 4(1), 46-57 (2004).

Singh, D. N.
Three-Dimensional Finite Element Analysis of Underground Caverns. — K. R. Dhawan, D. N. Singh, and I. D. Gupta; 4(3), 224-8 (2004).

Sukemura, Shunichi
Multiple Fracture Propagation Model for a Three-Dimensional Hydraulic Fracturing Simulator. — Koji Yamamoto, Tatsuo Shimamoto, and Shunichi Sukemura; 4(1), 46-57 (2004).

Teatini, Pietro
Radioactive Marker Measurements in Heterogeneous Reservoirs: Numerical Study. — Massimiliano Ferronato, Giuseppe Gambolati, Pietro Teatini, and Domenico Baù; 4(2), 79-92 (2004).

Ugai, K.
Lateral Resistance of Short Single Piles and Pile Groups Located Near Slopes. — K. S. Chae, K. Ugai, and A. Wakai; 4(2), 93-103 (2004).

Ugai, Keizo
Numerical Analysis of Rainfall Effects on Slope Stability. — Fei Cai and Keizo Ugai; 4(2), 69-78 (2004).

Wakai, A.
Lateral Resistance of Short Single Piles and Pile Groups Located Near Slopes. — K. S. Chae, K. Ugai, and A. Wakai; 4(2), 93-103 (2004).

Wang, Cheng-Der
Three-Dimensional Nonlinearly Varying Rectangular Loads on a Transversely Isotropic Half-Space. — Cheng-Der Wang; 4(4), 240-53 (2004).

Weiher, Bernd
Correlation of Elastic Constants with Penetration Resistance in Sandy Soils. — Bernd Weiher and Rob Davis; 4(4), 319-29 (2004).

Williams, J. R.
Discrete Element Modeling Applied to Laboratory Simulation of Near-Wellbore Mechanics. — B. K. Cook, M. Y. Lee, A. A. DiGiovanni, D. R. Bronowski, E. D. Perkins, and J. R. Williams; 4(1), 19-27 (2004).

Yamamoto, Koji
Multiple Fracture Propagation Model for a Three-Dimensional Hydraulic Fracturing Simulator. — Koji Yamamoto, Tatsuo Shimamoto, and Shunichi Sukemura; 4(1), 46-57 (2004).

Zaman, M.
Analyses of Inclined Boreholes in Poroelastic Media. — S. Ekbote, Y. Abousleiman, L. Cui, and M. Zaman; 4(3), 178-90 (2004).

Zaman, Musharraf
Simple Expert System for Evaluation of Nutrient Pollution Potential in Groundwater from Manure Application. — Abu Noman M. Ahsanuzzaman, Musharraf Zaman, and Randall Kolar; 4(4), 285-95 (2004).

Zervos, Antonios
Wellbore Stability Analysis: From Linear Elasticity to Postbifurcation Modeling. — Panos Papanastasiou and Antonios Zervos; 4(1), 2-12 (2004).

Zhan, Tony L. T.
Analytical Analysis of Rainfall Infiltration Mechanism in Unsaturated Soils. — Tony L. T. Zhan and Charles W. W. Ng; 4(4), 273-84 (2004).